





HL sorgt für den guten Ablauf
www.hl.at



HL90Prblue 0,43 l/s, DN 40/50





HL90Prblue-3000 0,43 l/s, DN 40/50



HL90Prblue



HL90Prblue-3000



DE BODENABLAUF
IT SCARICO A PAVIMENTO
EN FLOOR DRAIN

TR YER SÜZGEÇİ
CZ/SK PODLAHOVÁ VPUST
HR PODNI ODVOD






HU PADLÓLEFOLYÓ
PL WPUST PODŁOGOWY
SI TALNI ODTOK

RO SIFON DE PARDOSEALĂ
RU ТРАП
BG ПОДОВ СИФОН

HL HUTTERER + LECHNER GMBH
BRAUHAUSGASSE 3 - 5
A-2325 HIMBERG










INTERNATIONAL SERVICE:
E-MAIL: support@hl.at
SERVICE HOTLINE: +43 2235 87748


Montage ohne Abdichtung/ Installation without sealing



Montage mit Abdichtung Installation with sealing

Optional HL83.M






Nicht kleben
Do not glue
nem ragasztható

yapıştırılmaz
несклеиваемый
не се залепва

Nem ragasztható
nelepit
nie sklejać

ni za lepljenje
non incollabile
nije za lijepti



Nicht schweißen
Do not weld
nem hegeszthető

kaunatılmaz
nesvarivaemiy
не се заварява

Nem hegeszthető
nesvařovat
nie zgrzewać

ni za varjenje
non saldabile
nije za varjenje



Temperaturbeständigkeit
Resistente a temperature
Temperature resistant

Isiya dayanıklılık
Teplotní odolnosti
Otporan na temperaturu

Hőállóság
Odpornosc termiczna
Temperaturna obstojnost

Rezistent la temperatură
ne более
темп. устойчивост



Bauschutz
Coperchio di protezione
Protective cover

Yapı Koruması
Stavební zátka
Zaštitni poklopac

Védőfedél
Osłonia montazowo budowlana
Vgradna zaščita

Sarac de protecție
Монтажная заглушка
Монтажен капак




Schneiden
Tagliare
Cut

Kesin
Řezat
Sečenje

Vágható
Ciąć
Rezati

Täiere
Пилить
Рязане




Folie abziehen
Togliere pellicola
Remove membrane

Folyeyi cikarın
Fólii sejmout
Skinuti foliju

Fóliázás
Folię zdjąć
Sneti folijo

Indepartare folie
Снять защитную пленку
Премахнете фолиото



Bodenablauf
Scarico a pavimento
Floor drain

Yer Süzgeci
Podlahová vput
Podni slivnik

Padlósizifon
Wpust podłogowy
Talni sifon

Sifon de pardoseală
Трап
Подов сифон




Reinigung
Pulitura
Cleaning

Temizlik
Čištění
Čiščenje

Tisztítás
Oczyszcć
Čiščenje

Curățare
Очистить
Почистване




Isolierfähig
Idoneo per impermeabilizzare
Compatible with isolation

İzole edilebilir
Kızılolvani
Moguće izoliranje

Szigetelhető képesség
Możliwość izolacji
Izolacijska sposobnost

Compatibil cu hidroizolatie
Гидроизоляция
Възможност за изолиране



Dichtung nicht verwenden
Non applicare il sigillante
Don't use sealing

O-Halka contayı kullanmayınız
Bez těsnění
Ukloniti brtvu


Tömítést ne alkalmazza
Nie zakładać uszczelki o-ring
Tesnilno ne uporabiti

Nu utilizati O-ringul de etansare
Не устанавливайте уплотнительное кольцо
O-ринг не се поставя

Zubehör/ Accessories



HL83.M



HL83.H



HL85N(C)(H)



HL340N

Reinigung/ Cleaning

