SYSTEM FOR DRY-WALL CONSTRUCTION VICONNECT

PRODUCT INFORMATION

1. POSITION



Model	922149
Collection	ViConnect
PROJECTS	PLUS
Width	525 mm
Height	1120 mm
Depth	75 mm
Weight	8,05 kg
description	for covering with plasterboard, installation onto a solid brick wall, in dry-wall constructions etc., adjustment range of feet from unfinished floor level to upper edge of finished floor level: 0-200mm, adjustment range front to wall: 135-205mm (when mounted on wall brackets) with wall brackets, with protection cap for the flushing pipe, installation instructions, incl. self-locking feet with adjustable base plates and fastening materials individual packaging materials self-supporting powder-coated steel frame, fully pre-assembled suitable for all washbasins and handwashbasins, with multiply bonded laminated wood panel and scaling for the free positioning of drinking water pipe wall panels, with 2 x M10 bolts for fastening washbasin, including protection plugs and washbasin fastenings, with universal waste bend DN 50 (Ø 50) / DN 40 (Ø 40) incl. rubber collar for odour trap outlet connector DN 40 (Ø 40) / DN 32 (Ø 32), protection plugs and sound- absorbing clamp for dry-wall construction, standard height

 $\underbrace{\frac{11}{\text{Villeroy & Boch}}_{1748}}$

PROJECTS

Specification texts

ViConnect: Washbasin installation element; Size: 525 x 1120 x 75 mm; for covering with plasterboard, installation onto a solid brick wall, in dry-wall constructions etc., adjustment range of feet from unfinished floor level to upper edge of finished floor level: 0-200mm, adjustment range front to wall: 135-205mm (when mounted on wall brackets); with wall brackets, with protection cap for the flushing pipe, installation instructions, incl. selflocking feet with adjustable base plates and fastening materials; individual packaging materials; selfsupporting powder-coated steel frame, fully pre-assembled; suitable for all washbasins and handwashbasins, with multiply bonded laminated wood panel and scaling for the free positioning of drinking water pipe wall panels, with 2 x M10 bolts for fastening washbasin, including protection plugs and washbasin fastenings, with universal waste bend DN 50 (Ø 50) / DN 40 (Ø 40) incl. rubber collar for odour trap outlet connector DN 40 (Ø 40) / DN 32 (Ø 32), protection plugs and soundabsorbing clamp; for dry-wall construction, standard height

COLOURS

92214900 4051202497620



TECHNICAL DRAWINGS

